

MEGMEET

□ □ □

11

111

11

11

11

■ □

&

□ □ □

11

□ □

10


5

11

11

22





MTC/MTCW/MTCV

MQT

MTCE

MCAS

MDT

MTC/MTCW/MTCV

系列

产品概述

MTC/MTCW/MTCV

11216

产品特点

专用调试软件

MtcCompanion

/

双PID功能

PID

14

高精度温度控制

12

多路温度控制

PLCHMI

通讯便捷



模块规格

	24VDC -15% ~ 20%									
		K J E N T R B								
		Pt100 JPt100 Cu100 Ni120								
		0.2% +								
		0.3%								
			25ms/	100ms/8	100ms/4					
		SSR								
		ON/OFF	PID	PID		PID				
		14								
		8								
IO										
		4								
		0.1s - 10s		1s - 100s						
		4	8							
		MTCV								
	MTC/MTCV MTCW	RS485 RS485	MODBUS RS485	MCBUS		MODBUS				
		-20~60		-40~70						
		10~90%RH		5~95%RH						
		2000m								
			IP20							
	IEC/EN 613626-1 For use in industrial locations			UL61010-1 CE		UL				

产品型号

MTC				
MTC-04-NT	4	(4)		
MTC-08-NT	8	(8)		
MTC-04-NTT	4	(4)	(8)	
MTC-04-NTR	4	(4) (8)	(8)	
MTC-04-NVT	4	(4) (8 0-20mA 4-20mA) (8 0-1V 0-5V 0-10V 1-5V)	(4)	

MTCW 2 RS485

MTCW-04-NTT	4	(4)	(4)	
MTCW-04-NI	4	(4 0-20mA 4-20mA)		
MTCW-04-NV	4	(4 0-1V 0-5V 0-10V 1-5V)		
MTCW-08-NN	8			
MTCW-08-NI	8	(8 0-20mA 4-20mA)		
MTCW-08-NV	8	(8 0-1V 0-5V 0-10V 1-5V)		
MTCW-08-NTT	8	(8)	(8)	
MTCW-12-NT	12	(12)		
MTCW-16-NN	16			
MTCW-08-CT	8	(8)		(8)
MTCW-08-NTD	8	(8) (8)		

MTCV 1 RS485

MTCV-16-NT	16	(16)		
MTCV-08-NT	8	(8)		

MQT

系列

产品概述

产品特点

高精度

高性能

功能强悍

± 0.15

0.1 PID PP $\bar{u}$ $\bar{u}$ $\bar{u}$ $\pm 0.15\bar{u}$

u x $\pm T$ T h 0 x . 1 5 x x T T h x

MTCE

系列

产品概述

产品特点

高精度	± 0.15	± 0.2	
高性能	0.1	1ms	PID

MDT

系列

产品概述

产品特点

操作便捷

专用调试软件 MtcCompanion /

体积小巧

高精度温度控制

模块规格

